

**AMENDMENTS TO THE CLAIMS:**

The listing of claims will replace all prior versions, and listings of claims in the application:

**LISTING OF CLAIMS:**

1. (Currently amended)      A method for securing the integrity of files prior to archiving of said files, involving an exchange between a client and a Time Source Provider (a trusted third party) said method comprising the steps of:

the client generating a Public and a Private Key pair that is organizationally associated;

the Time Source Provider generating a public and private key pair for use in transactions with the client;

the client generating attributes of the to be archived files, attributes includes file sizes and cryptographic signatures;

encrypting the client's files utilizing the client's Public Key;

transmitting said encrypted data and file attributes and the client's Public Key signature to said Time Source Provider;

the Time Source Provider decrypting said encrypted data and file attributes with the Time Source Provider's Private Key and then with the client's Public Key;

the Time Source Provider creating a TimeMap containing the current time, time source calibration data, file attributes and signatures of any encryption keys used by the client;

the Time Source Provider returns the client's data along with the time map and session key signature;

the Time Source Provider providing said encrypted client data back to the client; and

the client archives the original files, file attributes and the time map from said Time Source Provider

2. (Cancelled)

3. (Original)      A method as in claim 1, where the client provides multiple

encryption of files, generating the signature of the file at each step, and providing all signatures along with the encryption key signatures to the Time Source Provider for inclusion of the time map.

4. (Original) A method as in claim 1, further comprising the step of where a session key is exchanged between the client and Time Source Provider for use in generating the signatures of the encrypted files and for securing the transaction.

5. (Original) A method as in claim 1 for application of multiple or differing error correcting codes to the representation of the time, the time source calibration data, the file attributes and encryption key signatures.

6. (Previously presented) A method as in claim 4, further comprising the steps of:

- the client producing said archived files, file attributes and time map;
- the Time Source Provider retrieving said time map and session key;
- the Time Source Provider regenerating said time map;
- the Time Source Provider encrypting said time map with said session key;

and,

- comparing said regenerated time map to said time map.

7. (Previously presented) A method as in claim 1, further comprising the steps of:

- establishing a clear channel transaction interval and pattern;
- the client encrypting said clear channel transaction using the client's Public and Private key pair;
- sending said clear channel transaction to the Time Source Provider;
- triggering an alarm if said clear channel transaction is not received by the Time Source Provider.